


VISTA DA "X"



41	RETAINING RING	1	V100020062F	COMMERCIAL ITEM
40	RETAINING RING	1	V100021082F	COMMERCIAL ITEM
21	BEARING	2	V200AB012E000	COMMERCIAL ITEM
15	SPRING RING	1	V100010003Q	AISI 304
13	SPRING	1	665539E	AISI 316
10	O RING	1	6666406V	FLUOROELASTOMER
5	BODY	1	F50144/01NBC5	ALUMINIUM
2	ROTOR	1	F5343/01EK2	AISI 304+TUNG. CARB.
1	SEAL RING	1	F5343/02EK2	AISI 304+TUNG. CARB.
POS.	DESCRIPTION	Q.TY	PART No	MATERIALS

© 2013 PROPERTY OF JOHNSON-FLUITEN SI THE DRAWING AND ITS INFORMATION ARE CONFIDENTIAL AND MUST BE RETURNED IF REQUESTED BY JOHNSON-FLUITEN SI						
Permissible deviations on untoleranced machining dimensions as below		PATTERN NO:	REFERENCE DRAWING:	TREATMENT:		
ISO 2768-m		ANGULAR TOLERANCE:	REQUEST NO:	MATERIAL: .N. AMERICA EUROPE ASIA S. AMERICA		
Tolerance		± 0°30'	LOCATION: 24.3			
mm	± mm	DEBURR:	TITLE: ROTARY JOINT TYPE			
Up to 6	0.1	DRAWN BY: L.M. CHECKED BY: MC DATE: 19/04/13	PROJECTION: 	GA006/50144		
6-30	0.2			ROTOR M16X1,5 L.H. - CONNECTION 1/4" NPT		
30-120	0.3			ARTICLE NO: GA006035534		
120-400	0.5			SCALE: 1:1	PAGE: 1	DRAWING NO: F50144
400-1000	0.8			OF: 1	REV:	
1000-2000	1.2	<b>JOHNSON-FLUITEN</b>				
2000-4000	2	www.johnson-fluiten.com				